PETRON BLAZE RACING SYNTHETIC BLEND SAE 10W-40

SECTION 1:	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY	
Product Name	PETRON SYNTHETIC BLEND SAE 10W-40	
Synonyms/Trade Name:	Petron Ultron Rallye	
Product Type	Petroleum Hydrocarbons with Additives	
Recommended Use	Gasoline Engine Oil	
Company Information	PETRON CORPORATION San Miguel Head Office Complex 40 San Miguel Avenue, Mandaluyong City PHILIPPINES	
General Contact Numbers	(632) 884-9200	
Website	www.petron.com	
SECTION 2:	HAZARDS IDENTIFICATION	
GHS CLASSIFICATION	Acute Toxicity – Oral, Category 5 Acute Toxicity - Dermal, Category 5 Acute Toxicity - Inhalation, Category 5 Skin Corrosion/Irritation, Category 3	
GHS LABELING		
Symbols	No symbol	
Signal Word	Warning	
Hazard StatementH303May be harmful if swallowedH332Harmful if inhaledH316Causes mild skin irritation		

General Precautionary Statements

- P101 If medical advice is needed, have product container or label at hand
- P102 Keep out of reach of children
- P103 Read label before use

Prevention Precautionary Statements

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P264 Wash hands thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing
- P281 Use personal protective equipment as required

Response Precautionary Statements

P302 + P352 IF ON SKIN: Wash with plenty of soap and water



P304 + P340	IF INHALED: Remove victim to a fresh air and keep at rest in a position comfortable for
P305 + P351 + P338	breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, If
P308 + P313	present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention
P308 + P313 P309 + P311	If exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
P312	Call a Poison Center or Physician if you feel unwell
P314	Get medical advice/attention if you feel unwell
P332 + P313	If skin irritation occurs: get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention

Storage Precautionary Statements

P403 + P233	Store in a well-ventilated place. Keep container tightly closed
P405	Store locked up

Disposal Precautionary Statement

P501

Dispose of contents/container in accordance with local/regional/national/ international regulations

SECTION 3:	COMPOSITION/INFORMATION ON INGREDIENTS
SECTION 5.	COMPOSITION/INFORMATION ON INGREDIENTS

Composition	CAS Number	% Weight
Distillates (Petroleum) hydrotreated heavy paraffinic	64742-54-7	99.0
Zink Alkyl Dithiophosphate	134759-18-15	<1.0

In general, the product contains small percentage of components that may be a significant health and safety hazard thus proper handling petroleum products and observing precautions must be observed and good standards of industrial and personal hygiene must be maintained.

SECTION 4:	FIRST AID MEASURES	
Eye Contact	Immediately flush eyes with large amount of water for at least 15 minutes of until irritation subsides. If irritation persists, get prompt medical attention.	
Skin Contact	Immediately flush with large amount of water; use soap if available. Remo contaminated clothing, including shoes, and launder before reuse.	
Ingestion	If swallowed, DO NOT induce vomiting. If individual is conscious, give m or water to dilute stomach contents. Keep warm and quiet. Get immedia medical attention. DO NOT attempt to give anything by mouth to unconscious person.	
Inhalation	This product is not expected to present an inhalation problem at ambient temperature. However, if overexposed to oil mist, using proper respiratory protection, immediately remove the affected person immediately to fresh air. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention.	
SECTION 5:	FIRE-FIGHTING MEASURES	
Flash Point, COC, °C	228	
Extinguishing Media In case of fire use foam, carbon dioxide or dry chemical exti		
Special Fire-fighting Procedures Water jets should not be used directly on igniting products. Av water directly into storage containers due to danger of boil-ove water may be used to cool exposed containers, structures and		



adjacent to fire. Respiratory and eye protection required for fire-fighting personnel.

Decomposition Products	Fumes, smoke, oxides of sulfur, nitrogen, carbon and other toxic gases
Under Fire Conditions	may be formed.

SECTION 6: ACCIDENTAL RELEASE MEASURES Land Spill Taking normal safety precaution, eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills, implement clean-up procedures. For large spills, implement clean-up procedures and, if in public area, keep public away and advise authorities. Prevent liquid from entering sewers, water courses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with a suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Water Spill Use booms to confine spills immediately. Remove from water surface by skimming or with suitable adsorbents. If allowed by local authorities and environmental agencies, sinking and/or suitable dispersants may be used in non-confined waters. Consult an expert on disposal of recovered material

SECTION 7: HANDLING AND STORAGE **Handling Procedures** Keep away from potential sources of ignition. Open container in a wellventilated area. Avoid breathing vapors. Keep containers closed when not in use. Wash thoroughly after handling. "Empty" containers with retained product residue (liquid or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition; they may explode and cause death or injury. Empty drums should be completely drained, properly bunged and promptly returned to a drum re-conditioner, or properly disposed off. **Storage Procedures** Do not store near potential sources of ignition. Store in a well-ventilated area. Odorous and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of 60°C for extended periods of time or if heat sources in excess of 70°C are used.

and ensure conformity to local disposal regulations.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Controls

Components	CAS-No	Source	Value
Distillates (Petroleum) hydrotreated heavy paraffinic	64742-54-7	ACGIH TLV ACGIH STEL OSHA PEL	5mg/m ³ (TWA) 10mg/m ³ (STEL) 5mg/m ³ (TWA)
Zink Alkyl Dithiophosphate	134759-18-15	ACGIH	5mg/m ³ (TLV) 10mg/m ³ (STEL)

Personal Protection

Ventilation Procedures

The use of local exhaust ventilation is recommended to control mists or vapors. Additional ventilation or exhaust may be required to maintain air concentrations below exposure limits.



Respiratory Protection	Use NIOSH/OSHA approved full-face respirator with a combination organic vapor and high efficiency filter cartridge if the recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Hand Protection	Use chemical resistant gloves.
Eye Protection	Where contact may occur, wear safety glasses with side shields.
Clothing Recommendation	Wear either a chemical protective suit or apron when potential for contact with material exists. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction.

SECTION 9:

PHYSICAL AND CHEMICAL PROPERTIES

	Appearance	Clear
	Odor	Characteristic of petroleum products
	Kinematic Viscosity at 40°C, cSt	95.25
	Kinematic Viscosity at 100°C, cSt	13.74
	Density at 15°C. kg/L	0.8714
	Flash Point, °C	228
	рН	No data
	Boiling Point, °C	No data
	Melting Point, °C	No data
	Vapor Pressure, kPa	No data
	Vapor Density	No data
	Solubility in Water	Insoluble
	Evaporation Rate	No data
	Flammability	Not flammable
	Partition Coefficient	No data
	Auto-ignition Temperature, °C	No data
	Decomposition Temperature, °C	No data
	Explosion limits	No data
Other Inform DMSO extrac		nan 3.0 wt% (mineral oil component only)
SECTION 10:	STABILITY AN	D REACTIVITY
Stability	This product i	s stable and hazardous polymerization will not occur.
Incompatibility	Strong oxidizing	agents

Incompatibility	
Polymerization	

Strong oxidizing agents Not Applicable



SECTION 11:

TOXICOLOGICAL INFORMATION

Acute Toxicity

	Distillates (Petroleum) hydrotreated heavy paraffinic	Oral, LD50 Dermal, LD50 Inhalation. LC50	>5000 mg/kg, rat >5000 mg/kg, rabbit >2.18mg/L, rat	
	Zinc alkyl dithiophosphate			
Ski	n Corrosion/Irritation	Minimally toxic. Negli	gible irritation at ambient temperatures.	
Ser	ious Eye Damage/Irritation	May cause mild, short-lasting discomfort to eyes.		
Re	spiratory/Skin Sensitization	No data available.		
Ge	rm Cell Mutagenicity	No data available.		
As	piration Hazard	Minimal toxicity		
Rej	productive Toxicity	No data available		
Ca	rcinogenicity	Not carcinogenic; Not classified under IARC, OSHA, ACGIH, NTP, EU CLP (DMSO extract <3%)		
Spe	ecific Target Organ Toxicity	No available information		
SE	CTION 12:	ECOLOGICAL INFO	RMATION	
	otoxicity tillate (petroleum), Hydrotreated I Fish (LC50/96-hour)	Heavy Paraffinic 5000mg/L		
	Crustaceans (EC ₅₀ /48-hour)	1000mg/L		
	Algae (EC ₅₀ /96-hour)	1000mg/L		
Zin	c Alkyl Dithiophosphate Fish (LC ₅₀ /96-hour)	4.5mg/L		

Crustaceans (EC50/48-hour)	1000mg/L
Algae (EC ₅₀ /96-hour)	1000mg/L
Zinc Alkyl Dithiophosphate Fish (LC ₅₀ /96-hour) Crustaceans (EC ₅₀ /48-hour) Algae (EC ₅₀ /96-hour)	4.5mg/L 5.4mg/L 2.1mg/L
Environmental Mobility	Oil component of this product floats and can migrate from water to land.
Environmental Degradability	Data have not been determined specifically for this product, but it is not expected that it will be "readily" biodegradable.
Ecotoxicity & Bioaccumulation	Data have not been determined specifically for this product, but it is expected to be harmful to aquatic organisms.
SECTION 13:	DISPOSAL CONSIDERATIONS
Waste Disposal	Material, if discarded, is expected to be hazardous waste due to toxicity. Waste management should be in compliance with local and national regulations.



SECTION 14:	TRANSPORT INFORMATION
Air	(ICAO/IATA). This product is not regulated for air transport.
Land	This product is not regulated for road/rail transport.
Sea	IMDG (Packaged Goods and BLCs). This product is not regulated for sea transport.

SECTION 15: REGULATORY INFORMATION

Material is non-hazardous chemical under Occupational Safety and Health (Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

The chemical substances present in this product are listed under Philippine Inventory of Chemicals and Chemical Substances (PICCS).

SECTION 16:	OTHER INFORMATION
Approvals	Research and Development Department Petron Corporation

This safety data sheet contains the following revisions: **0**

This is a computer-generated form and does not require a signature.

The information and recommendations contained herein are based on the data sheet and sources believed to be accurate and correct and Petron makes no expressed or implied warranty with respect to the accuracy of the information or the suitability of the recommendations contained in the SDS. It is your responsibility to contact Petron to ensure that this document is the most current available from Petron. The information and recommendations are offered for the user's consideration and examination. It is the user's full responsibility to satisfy itself that the product is suitable for the intended use and to ensure the safe handling and use of the product. If the user repackages this product, it is the user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Petron accepts no responsibility and hereby disclaim all idability for any harmful effects which may be caused by purchase, resale, use, exposure or disposal of the product. The term, "Petron" is used for convenience, and may include any one or more of Petron Corporation, Petron Oil & Gas International Sdn Bhd or any affiliates in which they directly or indirectly hold any interest. In no event, shall Petron or its suppliers be liable for any direct or indirect or special, indirect or consequential damages, nor shall the liability of Petron any claim for damages arising out of or connected with the sale, delivery or use of the product purchase exceed the purchase price of the product.

